



# Florida Repeater Council, Inc.

<http://florida-repeaters.org>

Database Listing, DMR Repeaters

Uncoordinated repeaters are not included

Sorted by Region then Repeater City then Output then Input

<b>CENTRAL Region</b>								
Repeater City	County	Output	Input	Call	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Features								

Lakeland	Polk	442.6750	447.6750	W4CLL	DMR	None	W4CLL	4
ox DMR 1 CC(1) DMR 1 GC(1) DMR 2 CC(1) DMR 2 GC(2)								

Lakeland	Polk	444.2750	449.2750	W4VCO	DMR	None	W4VCO	4
o DMR 1 CC(1) DMR 1 GC(1) DMR 2 CC(1) DMR 2 GC(2)								

Lakeland	Polk	444.6625	449.6625	N4KEG	DMR	None	N4KEG	4
oelx DMR 1 CC(1) DMR 2 CC(1)								

Lakeland	Polk	444.7750	449.7750	KJ4ACN	DMR	None	WCFDC	4
oe l(146.6550, 1293.5500) sWXx DMR 1 CC(1) DMR 1 GC(1) DMR 2 CC(1) DMR 2 GC(2)								

<b>CENTRAL - ORLANDO Region</b>								
Repeater City	County	Output	Input	Call	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Features								

Eustis	Lake	444.5500	449.5500	K4AUS	Wideband FM (5 kHz)	DMR	LCSO	5
o WBFM e l(444.050) rszWXx 103.5/103.5 DMR 1 CC(1) DMR 1 GC(1) DMR 2 CC(1) DMR 2 GC(2)								

Groveland	Lake	444.0500	449.0500	K4AUS	Wideband FM (5 kHz)	DMR	LCPS	5
o WBFM e l(444.550) rszWXx 103.5/103.5 DMR 1 CC(1) DMR 1 GC(1) DMR 2 CC(1) DMR 2 GC(2)								

<b>REPEATER FEATURES LEGEND</b>					
o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

Lake Buena Vista oe DMR 1 CC(3) DMR 1 GC(111203)	Orange	444.0000	449.0000	WD4WDW	DMR	None	DEARS	5
---	--------	----------	----------	--------	-----	------	-------	---

Orlando o DMR 1 CC(1) DMR 2 CC(1)	Orange	443.1375	448.1375	KJ4OVA	DMR	None	1KDA	5
--------------------------------------	--------	----------	----------	--------	-----	------	------	---

Orlando oers DMR 1 CC(1) DMR 1 GC(1) DMR 2 CC(1) DMR 2 GC(2)	Orange	443.1625	448.1625	W4MCO	DMR	None	OCCA	5
---	--------	----------	----------	-------	-----	------	------	---

Orlando c DMR	Orange	443.2000	448.2000	KJ4OVA	DMR	None	1KDA	5
------------------	--------	----------	----------	--------	-----	------	------	---

Orlando c DMR	Orange	443.2375	448.2375	KJ4OVA	DMR	None	1KDA	5
------------------	--------	----------	----------	--------	-----	------	------	---

### DEEP SOUTH Region

Repeater City	County	Output	Input	Call	Repeater Format 1	Repeater Format 2	Sponsor	Dist
---------------	--------	--------	-------	------	-------------------	-------------------	---------	------

Big Pine Key o NBFM E-SUN I(E98518) 110.9/110.9 DMR 1 CC(1) DMR 1 GC(697136) DMR 2 CC(2) DMR 2 GC(565618)	Monroe	145.3700	144.7700	N2GKG	Narrowband FM (2.5	DMR	BPKRC	1
--	--------	----------	----------	-------	--------------------	-----	-------	---

Key West c WBFM a(CA)eE-SUN E-WIND I(11632, E98518, 145.230, 145.370, 442,375, 444.500) xBiRB DMR	Dade	145.1700	144.5700	N2GKG	Wideband FM (5 kHz)	DMR	KC4EGP	1
--	------	----------	----------	-------	---------------------	-----	--------	---

### EAST CENTRAL Region

Repeater City	County	Output	Input	Call	Repeater Format 1	Repeater Format 2	Sponsor	Dist
---------------	--------	--------	-------	------	-------------------	-------------------	---------	------

Daytona Beach oes DMR 1 CC(1) DMR 2 CC(1)	Volusia	443.2125	448.2125	KC2HFL	DMR	None	W2HVL	5
--	---------	----------	----------	--------	-----	------	-------	---

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

Ft Pierce oerszx DMR 1 CC(1) DMR 2 CC(1)	St Lucie	444.8000	449.8000	W4AKH	DMR	None	FPARC	3
---	----------	----------	----------	-------	-----	------	-------	---

Palm Bay ce l( 443.5625, 443.2000, 443.1750, 442.6875, 443.9000) x DMR	Brevard	443.3375	448.3375	KF4ACN	DMR	None	KF4ACN	3
---	---------	----------	----------	--------	-----	------	--------	---

Stuart oe DMR 1 CC(1) DMR 1 GC(3) DMR 2 CC(1) DMR 2 GC(2) Fusion	Martin	444.9750	449.9750	N4IRS	DMR	Fusion	N4IRS	3
---	--------	----------	----------	-------	-----	--------	-------	---

Titusville o WBFM e 107.2/107.2 DMR 1 CC(9) DMR 2 CC(9)	Brevard	442.1500	447.1500	KF4SEK	Wideband FM (5 kHz)	DMR	KF4SEK	3
--	---------	----------	----------	--------	---------------------	-----	--------	---

Titusville o DMR	Brevard	444.1500	449.1500	K4KSC	DMR	None	TARC	3
---------------------	---------	----------	----------	-------	-----	------	------	---

Vero Beach oe DMR	Indian River	444.3250	449.3250	KJ4YZI	DMR	None	KJ4YZI	3
----------------------	--------------	----------	----------	--------	-----	------	--------	---

Vero Beach oe DMR 1 CC(1) DMR 2 CC(1)	Indian River	444.3500	449.3500	KJ4YZI	DMR	None	KB4OVL	3
--	--------------	----------	----------	--------	-----	------	--------	---

Wabasso oe DMR 1 CC(1) DMR 2 CC(1)	Indian River	442.6000	447.6000	KB1YBB	DMR	None	KB4OVL	3
---------------------------------------	--------------	----------	----------	--------	-----	------	--------	---

### NORTH CENTRAL Region

Repeater City	County	Output	Input	Call	Repeater Format 1	Repeater Format 2	Sponsor	Dist
---------------	--------	--------	-------	------	-------------------	-------------------	---------	------

Gainesville o DMR 1 CC(1) DMR 2 CC(1)	Alachua	444.8125	449.8125	W4DFU	DMR	None	GARC	7
--	---------	----------	----------	-------	-----	------	------	---

Ocala o WBFM eE-SUN E-WIND x 123.0/123.0 DMR 1 CC(0)	Marion	147.2100	147.8100	KI4MTN	Wideband FM (5 kHz)	DMR	KI4MTN	7
---	--------	----------	----------	--------	---------------------	-----	--------	---

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

Ocala	Marion	442.7750	447.7750	KI4MTN	Wideband FM (5 kHz)	DMR	KI4MTN	7
o WBFM eE-SUN E-WIND x 123.0/123.0 DMR 1 CC(0)								

<b>NORTH EAST Region</b>								
Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Daytona Beach	Volusia	442.1250	447.1250	NY4Z	DMR	Narrowband FM (2.5	NY4Z	5
o NBFM 94.8/94.8 DMR								

Espanola	Flagler	443.4000	448.4000	KG4IDD	DMR	None	KG4IDD	7
oesx DMR 1 CC(1)								

Palm Coast	Flagler	443.3000	448.3000	KF4I	Wideband FM (5 kHz)	DMR	FECA	7
o WBFM 107.2/107.2 DMR								

<b>NORTH EAST - JACKSONVILLE Region</b>								
Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Jacksonville	Duval	444.4250	449.4250	N2XDA	DMR	None	N2XDA	7
oe l(442.425) DMR 1 CC(7) DMR 2 CC(7)								

Jacksonville Beach	Duval	442.4250	447.4250	KM4CTB	Wideband FM (5 kHz)	DMR	KM4CTB	7
o WBFM 127.3/127.3 DMR 1 GC(1) DMR 2 CC(1) DMR 2 GC(2)								

Orange Park	Clay	443.0875	448.0875	KK4ECR	DMR	None	KK4ECR	7
oe DMR 1 CC(1) DMR 1 GC(9) DMR 2 CC(1) DMR 2 GC(2)								

<b>REPEATER FEATURES LEGEND</b>					
o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

### NORTH WEST - PENSACOLA Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Crestview	Okaloosa	443.0000	448.0000	KB4LSL	DMR	None	KB4LSL	8
oes DMR 1 CC(1) DMR 1 GC(WW) DMR 2 CC(1) DMR 2 GC(Florida)								

### NORTH WEST - TALLAHASSEE Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Tallahassee	Leon	444.1375	449.1375	NX4DN	DMR	None	BBNARG	8
ox DMR 1 CC(1) DMR 2 CC(1)								

### SOUTH CENTRAL Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
De Soto City	Highlands	444.9250	449.9250	W4HEM	DMR	None	HCEM	6
oes DMR 1 CC(1) DMR 1 GC(1) DMR 2 CC(1) DMR 2 GC(2)								

### SOUTH EAST Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Boca Raton	Palm Beach	442.0000	447.0000	KS4VT	DMR	None	KS4VT	1
oex DMR 1 CC(8) DMR 2 CC(8)								
Boca Raton	Palm Beach	442.7000	447.7000	W2WDW	DMR	Narrowband FM (2.5	W2WDW	1
c NBFM e DMR								
Boca Raton	Palm Beach	444.1000	449.1000	KF4LZA	DMR	None	KF4LZA	1
oex DMR 1 CC(10) DMR 1 GC(855) DMR 2 CC(10) DMR 2 GC(856)								

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

Boynton Beach ceBi DMR	Palm Beach	443.3250	448.3250	WX3C	DMR		WX3C	1
Cutler Bay oe DMR 1 CC(1) DMR 2 CC(1)	Dade	442.1250	447.1250	KD4NYC	DMR	None	KD4NYC	1
Delray Beach o DMR 1 CC(1) DMR 1 GC(624) DMR 2 CC(1) DMR 2 GC(625)	Palm Beach	443.3000	448.3000	W2GGI	DMR	None	W2GGI	1
Lake Worth c WBFM e l(442.300, 442.525) xBi DMR	Palm Beach	443.3750	448.3750	WX3C	DMR	Wideband FM (5 kHz)	WX3C	1
Lake Worth c WBFM ex DMR	Palm Beach	444.2500	449.2500	WX3C	Wideband FM (5 kHz)	DMR	WX3C	1
Lake Worth c NBFM e l(18641, E86410) DMR	Palm Beach	444.4750	449.4750	W2WDW	DMR	Narrowband FM (2.5	W2WDW	1
Mangonia Park o WBFM eE-WIND x 88.5/88.5 Bi DMR 1 CC(1) DMR 1 GC(1) DMR 2 CC(1) DMR 2 GC(2)	Palm Beach	145.2300	144.6300	AD4C	Wideband FM (5 kHz)	DMR	AD4C	1
Miami oex DMR 1 CC(2) DMR 1 GC(855) DMR 2 CC(2) DMR 2 GC(856)	Dade	442.4125	447.4125	KF4LZA	DMR	None	KF4LZA	1
Palm Beach Gardens o DMR 1 CC(10)	Palm Beach	442.1000	447.1000	KD4SJF	DMR	None	JTRG	1
Port St Lucie ce l(AC4XQ Florida DMR Net) DMR	St. Lucie	443.8375	448.8375	AC4XQ	DMR	None	AC4XQ	3
Wellington oe l(442.0000, 442.1000, 442.3000, 443.3000, 444.45000, 927.6000) x DMR 1 CC(1) DMR 2 CC(1)	Palm Beach	442.9375	447.9375	K4PKT	DMR	None	PBPG	1

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

West Palm Beach oex DMR 1 CC(8) DMR 1 GC(855) DMR 2 CC(8) DMR 2 GC(856)	Palm Beach	444.8750	449.8750	KF4LZA	DMR	None	KF4LZA	1
--	------------	----------	----------	--------	-----	------	--------	---

### SOUTH EAST - MIAMI/FT. LAUD Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
---------------	--------	--------	-------	------------------	-------------------	-------------------	---------	------

Aventura o NBFM e DCS(23) DMR 1 CC(3) DMR 1 GC(1300) DMR 2 CC(3) DMR 2 GC(1300)	Dade	443.3375	448.3375	KE4ISY	DMR	Narrowband FM (2.5	KE4ISY	1
--	------	----------	----------	--------	-----	--------------------	--------	---

Coral Springs c DMR	Broward	443.8875	448.8875	WR4AYC	DMR	None	WR4AYC RG	1
------------------------	---------	----------	----------	--------	-----	------	-----------	---

Delray ce l(AC4XQ Florida DMR Net) DMR	Palm Beach	443.9375	448.9375	AC4XQ	DMR	None	AC4XQ	1
---	------------	----------	----------	-------	-----	------	-------	---

Ft Lauderdale ox DMR 1 CC(1) DMR 1 GC(3) DMR 2 CC(1) DMR 2 GC(2)	Broward	147.1050	147.7050	N4MOT	DMR	None	MARC	1
---	---------	----------	----------	-------	-----	------	------	---

Ft Lauderdale o WBFM e l(E402814, 443.370, 444.250, 441.850) DCS(205) DMR 1 CC(15) DMR 1 GC(786) DMR 2 CC(15) DMR 2 GC(786)	Broward	442.3000	447.3000	WX3C	DMR	Wideband FM (5 kHz)	WX3C	1
--	---------	----------	----------	------	-----	---------------------	------	---

Ft Lauderdale o DMR 1 CC(1) DMR 2 CC(1)	Broward	442.4000	447.4000	N4MOT	DMR	None	MARC	1
--	---------	----------	----------	-------	-----	------	------	---

Hialeah o NBFM eE-WIND l(E565618, 442.800, 442375, 145.150, 145.410, 145.190, 145.230) rxBiRB DMR 1 CC(1) DMR 1 GC(98518) DMR 2 CC(2)	Dade	145.1900	144.5900	KC4EGP	Narrowband FM (2.5	DMR	N2GKG	1
--	------	----------	----------	--------	--------------------	-----	-------	---

Hialeah o NBFM e l(E565618, 442.800, 442375, 145.150, 145.410, 145.190, 145.230) rxBiRB DMR 1 CC(1) DMR 1 GC(98518) DMR 2 CC(2) DMR 2	Dade	145.3700	144.7700	N2GKG	Narrowband FM (2.5	DMR	N2GKG	1
--	------	----------	----------	-------	--------------------	-----	-------	---

Hialeah o WBFM DCS(205) Bi DMR 1 CC(1) DMR 1 GC(157)	Dade	441.8500	446.8500	W4PHR	Wideband FM (5 kHz)	DMR	W4PHR	1
---	------	----------	----------	-------	---------------------	-----	-------	---

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

Hollywood o WBFM ex 110.9/110.9	Dade	444.9750	449.9750	KF4LZA	Wideband FM (5 kHz)	DMR	KF4LZA	1
Miami osWXx	Dade	442.2250	447.2250	W2HVL		DMR	None	KC2CWT
Miami o	Dade	442.7500	447.7500	KF4LZA		DMR	None	KF4LZA
North Dade c WBFM ersWXx	Dade	443.1250	448.1250	AC4XQ	Wideband FM (5 kHz)	DMR	AC4XQ	1
Plantation ox	Broward	442.4250	447.4250	W4MOT		DMR	None	MARC
Princeton celx	Dade	442.6875	447.6875	KF4ACN		DMR	None	KF4ACN
Princeton ce l(AC4XQ Florida DMR Net)	Dade	443.7375	448.7375	AC4XQ		DMR	None	AC4XQ
Riviera Beach oelx	Palm Beach	443.5625	448.5625	KF4ACN		DMR	None	KF4ACN
Riviera Beach ce l(443.2000 Orlando, 443.1750 Miami, 443.63750 West Palm, Lake Worth) x	Palm Beach	443.6375	448.6375	AC4XQ		DMR	None	AC4XQ

### SOUTH WEST Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Naples o WBFM a(CA)e	Collier	147.1050	147.7050	KC4RPP	Wideband FM (5 kHz)	DMR	KC4RPP	6

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server



Naples	Collier	443.1000	448.1000	KC4RPP	Wideband FM (5 kHz)	DMR	KC4RPP	6
o WBFM a(CA)e 136.5/136.5 DMR 1 CC(1)								

### SOUTH WEST - FT. MYERS Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
---------------	--------	--------	-------	------------------	-------------------	-------------------	---------	------

Ft Myers	Lee	442.1750	447.1750	KF5IW	DMR	None	KF5IW	6
oers DMR 1 CC(1) DMR 2 CC(1)								

Ft Myers	Collier	443.1375	448.1375	AC4XQ	DMR	None	AC4XQ	6
ce l(AC4XQ Florida DMR Net) DMR								

Ft Myers	Collier	443.1750	448.1750	AC4XQ	DMR	None	AC4XQ	6
c DMR								

Ft Myers	Lee	444.5875	449.5875	NQ6U	Wideband FM (5 kHz)	DMR	NQ6U	6
o WBFM es DCS(72) DMR 1 CC(9) DMR 1 GC(Multiple) DMR 2 CC(9) DMR 2 GC(Multiple)								

LaBelle	Hendry	442.5000	447.5000	NQ6U	Wideband FM (5 kHz)	DMR	NQ6U	6
o WBFM e DCS(72) DMR 1 CC(15) DMR 1 GC(Multiple) DMR 2 CC(12) DMR 2 GC(Multiple)								

### WEST CENTRAL - TAMPA/ST. PETE Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
---------------	--------	--------	-------	------------------	-------------------	-------------------	---------	------

Key Largo	Monroe	443.4375	448.4375	AC4XQ	DMR	None	AC4XQ	1
ce l(AC4XQ Florida DMR Net) DMR								

Plant City	Hillsborough	442.0250	447.0250	W4CLL	DMR	None	PCDS	4
o DMR 1 CC(1) DMR 1 GC(1) DMR 2 CC(1) DMR 2 GC(2)								

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

Riviera Beach ce l(AC4XQ Florida DMR Net) DMR	Palm Beach	443.6375	448.6375	AC4XQ	DMR	None	AC4XQ	1
Tampa ox DMR 1 CC(1) DMR 1 GC(1) DMR 2 CC(1) DMR 2 GC(3)	Hillsborough	443.7750	448.7750	W4CLL	DMR	None	W4CLL	4

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server