



# Florida Repeater Council, Inc.

<http://florida-repeaters.org>

Database Listing, P25 Repeaters

Uncoordinated repeaters are not included

Sorted by Region then Repeater City then Output then Input

## CENTRAL Region

Repeater City	County	Output	Input	Call	Repeater Format 1	Repeater Format 2	Sponsor	Dist
---------------	--------	--------	-------	------	-------------------	-------------------	---------	------

Lakeland	Polk	147.3750	147.9750	W4CLL	Wideband FM (5 kHz)	P25	N4KEG	4
o WBFM elx 127.3/127.3 P25(293)								

Lakeland	Polk	442.2750	447.2750	N4KEG	Wideband FM (5 kHz)	P25	N4AMC	4
o WBFM 82.5/82.5 Bi P25(293)								

## CENTRAL - ORLANDO Region

Repeater City	County	Output	Input	Call	Repeater Format 1	Repeater Format 2	Sponsor	Dist
---------------	--------	--------	-------	------	-------------------	-------------------	---------	------

Bushnell	Hernando	443.8250	448.8250	N4TIA	Wideband FM (5 kHz)	P25	RFE	4
o WBFM e l(147.075) x 103.5/103.5 P25(293)								

Eustis	Lake	146.8950	146.2950	W4ALR	Wideband FM (5 kHz)	P25	LCSSO	5
o WBFM e l(147.390 (APCO25), 147.345 (APCO25)) rsz 103.5/103.5 P25(293)								

Groveland	Lake	147.3450	147.9450	KD4MBN	Wideband FM (5 kHz)	P25	LCPS	5
o WBFM e l(146.895 (APCO25), 147.390 (APCO 25)) rsz 103.5/103.5 P25(293)								

Lake Mary	Seminole	444.0750	449.0750	NX4Y	Wideband FM (5 kHz)	P25	NX4Y	5
o WBFM elrsx 103.5/103.5 P25(293)								

## REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

Orlando	Orange	442.0750	447.0750	W4LOV	Wideband FM (5 kHz)	P25	KD4JYD	5
o WBFM x 103.5/103.5 P25(A55)								

Orlando	Orange	442.7000	447.7000	W4MCO	Wideband FM (5 kHz)	P25	OCCA	5
o WBFM ers 103.5/103.5 P25(0CA)								

Orlando	Orange	443.9500	448.9500	KA0OXH	Wideband FM (5 kHz)	P25	KA0OXH	5
o WBFM e l(927.050) x 156.7/156.7 DCS(411) P25(A55)								

Orlando	Orange	927.0500	902.0500	KA0OXH	Wideband FM (5 kHz)	P25	KA0OXH	5
o WBFM a(CA)e l(443.950) x DCS(411) P25								

Tavares	Lake	147.3900	147.9900	K4AUS	Wideband FM (5 kHz)	P25	LCSSO	5
o WBFM e l(147.345 (APCO25), 146.895 (APCO25)) rsz 103.5/103.5 P25(293)								

Winter Park	Orange	442.5250	447.5250	W4MCO	Wideband FM (5 kHz)	P25	OCCA	5
o WBFM ers 103.5/103.5 P25(0CA)								

### DEEP SOUTH Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Big Pine Key	Monroe	442.3750	447.3750	NQ2Z	Wideband FM (5 kHz)	P25	N2GKG	1
c WBFM ae l(E98598, 145.370 145.230 146.700, 145.170, 442.375) RB P25								

### EAST CENTRAL Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Kennedy Space Center	Brevard	444.9250	449.9250	N1KSC	Wideband FM (5 kHz)	P25	KSCARC	3
o WBFM 131.8/131.8 P25(A55)								

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

### NORTH EAST Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
---------------	--------	--------	-------	------------------	-------------------	-------------------	---------	------

Crescent City	Putnam	145.1900	144.5900	KJ4UOP o WBFM e l(53.730, 145.450, 224.0200, 444.000) WX 127.3/127.3 P25(4F9)	Wideband FM (5 kHz)	P25	KJ4UOP	7
---------------	--------	----------	----------	--	---------------------	-----	--------	---

The Villages	Lake	146.8500	146.2500	K4LAK o WBFM e l(146.895, 147.390, 147.345) rszWX 103.5/103.5 P25(293)	Wideband FM (5 kHz)	P25	LCSSO	5
--------------	------	----------	----------	---	---------------------	-----	-------	---

### NORTH EAST - JACKSONVILLE Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
---------------	--------	--------	-------	------------------	-------------------	-------------------	---------	------

Jacksonville	Duval	147.3150	147.9150	W4RNG o WBFM l(E504177) 127.3/127.3 P25(293)	Wideband FM (5 kHz)	P25	Jax Range	7
--------------	-------	----------	----------	---	---------------------	-----	-----------	---

Jacksonville	Duval	444.2000	449.2000	K4QHR o WBFM e l(SARNET) x 127.3/127.3 P25(A55)	Wideband FM (5 kHz)	P25	K4QHR	7
--------------	-------	----------	----------	--	---------------------	-----	-------	---

### NORTH WEST Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
---------------	--------	--------	-------	------------------	-------------------	-------------------	---------	------

Madison	Madison	444.3000	449.3000	W4FAO o WBFM ex 94.8/94.8 P25(293)	Wideband FM (5 kHz)	P25	K4III	8
---------	---------	----------	----------	---------------------------------------	---------------------	-----	-------	---

Perry	Taylor	147.3750	147.9750	K4III o NBFM ex DCS(411) P25(293)	Narrowband FM (2.5	P25	K4III	8
-------	--------	----------	----------	--------------------------------------	--------------------	-----	-------	---

Perry	Taylor	443.1000	448.1000	K4III o WBFM e l(444.300) x 94.8/94.8 P25(293)	Wideband FM (5 kHz)	P25	K4III	8
-------	--------	----------	----------	---	---------------------	-----	-------	---

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

Perry	Taylor	444.1000	449.1000	K4III	Wideband FM (5 kHz)	P25	K4III	8
o WBFM ex 100.0/100.0 P25(F7F)								

<b>NORTH WEST - TALLAHASSEE Region</b>								
Repeater City	County	Output	Input	Call	Repeater Format 1	Repeater Format 2	Sponsor	Dist
				Features				

Tallahassee	Leon	146.6550	146.0550	AE4S	Wideband FM (5 kHz)	P25	AE4S	8
o WBFM e l(443.9500) rx 94.8/94.8 P25(293)								

Tallahassee	Leon	146.9100	146.3100	K4TLH	Wideband FM (5 kHz)	P25	TARS	8
o WBFM aer 94.8/94.8 P25(293)								

Tallahassee	Leon	443.9500	448.9500	AE4S	Wideband FM (5 kHz)	P25	AE4S	8
o WBFM e l(146.6550) x 94.8/94.8 P25(293)								

Wacissa	Jefferson	147.0000	147.6000	K4TLH	Wideband FM (5 kHz)	P25	TARS	8
o WBFM l(147.375) x 94.8/94.8 P25								

<b>SOUTH CENTRAL Region</b>								
Repeater City	County	Output	Input	Call	Repeater Format 1	Repeater Format 2	Sponsor	Dist
				Features				

Moore Haven	Glades	147.3000	147.9000	KJ4FJD	Wideband FM (5 kHz)	P25	GCEOC	6
o WBFM ers 100.0/100.0 P25(811)								

<b>SOUTH EAST Region</b>								
Repeater City	County	Output	Input	Call	Repeater Format 1	Repeater Format 2	Sponsor	Dist
				Features				

Boca Raton	Palm Beach	147.3900	147.9900	KS4VT	Wideband FM (5 kHz)	P25	KS4VT	1
c WBFM ex P25								

<b>REPEATER FEATURES LEGEND</b>					
o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

Coral Springs o WBFM l(145.110, 443.850) 110.9/110.9 P25(110)	Broward	145.2700	144.6700	WR4AYC	Wideband FM (5 kHz) P25	WR4AYC RG	1
--	---------	----------	----------	--------	-------------------------	-----------	---

Palm Beach Gardens o WBFM a(CA)ers 110.9/110.9 P25(293)	Palm Beach	146.6250	146.0250	W4JUP	Wideband FM (5 kHz) P25	JTRG	1
--	------------	----------	----------	-------	-------------------------	------	---

Riviera Beach o WBFM ers 110.9/110.9 P25(293)	Palm Beach	146.8800	146.2800	KK4UKG	Wideband FM (5 kHz) P25	PBCEM	1
--	------------	----------	----------	--------	-------------------------	-------	---

West Palm Beach o WBFM ers 110.9/110.9 P25(293)	Palm Beach	145.3900	144.7900	KK4UKG	Wideband FM (5 kHz) P25	PBCEM	1
--	------------	----------	----------	--------	-------------------------	-------	---

West Palm Beach o WBFM ers 110.9/110.9 P25(293)	Palm Beach	147.3600	147.9600	KK4UKG	Wideband FM (5 kHz) P25	PBCEM	1
--	------------	----------	----------	--------	-------------------------	-------	---

West Palm Beach o NBFM e 110.9/110.9 P25(A55)	Palm Beach	927.0125	902.0125	W2WDW	Narrowband FM (2.5 P25	W2WDW	1
--	------------	----------	----------	-------	------------------------	-------	---

<b>SOUTH EAST - MIAMI/FT. LAUD Region</b>								
Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist

Aventura o WBFM e 94.8/94.8 P25(A55)	Dade	443.6500	448.6500	WA1JSG	Wideband FM (5 kHz) P25	WA1JSG	1
---	------	----------	----------	--------	-------------------------	--------	---

Ft Lauderdale o WBFM esx 131.8/131.8 P25(293)	Broward	443.0000	448.0000	N4MOT	Wideband FM (5 kHz) P25	MARC	1
--	---------	----------	----------	-------	-------------------------	------	---

Ft Lauderdale c WBFM eWX P25 P25	Broward	443.4000	448.4000	K4MAP	Wideband FM (5 kHz) P25	N4BIF	1
-------------------------------------	---------	----------	----------	-------	-------------------------	-------	---

Ft Lauderdale c WBFM eWX P25 P25	Broward	444.0500	449.0500	KB2TZ	Wideband FM (5 kHz) P25	KB2TZ	1
-------------------------------------	---------	----------	----------	-------	-------------------------	-------	---

<b>REPEATER FEATURES LEGEND</b>					
o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

Ft Lauderdale o NBFM ex 110.9/110.9 DCS(631) P25(A55)	Broward	927.0500	902.0500	KF4LZA	P25	Narrowband FM (2.5	KF4LZA	1
--	---------	----------	----------	--------	-----	--------------------	--------	---

Hollywood o WBFM I(E329701) WX 110.9/110.9 Bi P25	Broward	442.7750	447.7750	K4ABB	Wideband FM (5 kHz)	P25	K4ABB	1
--	---------	----------	----------	-------	---------------------	-----	-------	---

Hollywood o WBFM eE-SUN 88.5/88.5 Bi P25	Broward	442.9000	447.9000	K4ABB	Wideband FM (5 kHz)	P25	K4ABB	1
---	---------	----------	----------	-------	---------------------	-----	-------	---

Miami o NBFM ex 94.8/94.8 P25(A55)	Dade	444.8000	449.8000	KF4LZA	P25	Narrowband FM (2.5	KF4LZA	1
---------------------------------------	------	----------	----------	--------	-----	--------------------	--------	---

Miami o NBFM e I(224.400) 110.9/110.9 LiTZ P25	Dade	927.7000	902.7000	KF4LZA	Narrowband FM (2.5	P25	CCRC	1
---	------	----------	----------	--------	--------------------	-----	------	---

Plantation o WBFM esx 88.5/88.5 P25(293)	Broward	146.7900	146.1900	W4MOT	Wideband FM (5 kHz)	P25	MARC	1
---	---------	----------	----------	-------	---------------------	-----	------	---

Riviera Beach o WBFM e I(443.900, 927.525) s 131.8/131.8 P25(455)	Palm Beach	443.9250	448.9250	KF4ACN	Wideband FM (5 kHz)	P25	KF4ACN	1
--	------------	----------	----------	--------	---------------------	-----	--------	---

Riviera Beach o NBFM e I(443.925, 443.900) x 100.0/100.0 P25(455)	Palm Beach	927.5250	902.5250	KF4ACN	Narrowband FM (2.5	P25	KF4ACN	1
--	------------	----------	----------	--------	--------------------	-----	--------	---

### SOUTH WEST Region

Repeater City	County	Output	Input	Call	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Naples oe I(145.270, 146.985, 443.800) P25 D-STAR-DV G Go Gr	Collier	442.1000	447.1000	AA4PP	D-STAR DV	P25	ARASWF	6

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

### SOUTH WEST - FT. MYERS Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Port Charlotte o WBFM elx 100.0/100.0	Charlotte	444.2250	449.2250	NX4Y	Wideband FM (5 kHz)	P25	NX4Y	6
				P25(293)				

### WEST CENTRAL Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Brooksville o WBFM e l(443.825) x 103.5/103.5	Hernando	147.0750	147.6750	N4TIA	Wideband FM (5 kHz)	P25	RFE	4
				P25(293)				

### WEST CENTRAL - SARASOTA Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Sarasota o WBFM elx 100.0/100.0	Sarasota	444.8000	449.8000	NX4Y	Wideband FM (5 kHz)	P25	NX4Y	6
				P25(293)				

### WEST CENTRAL - TAMPA/ST. PETE Region

Repeater City	County	Output	Input	Call Features	Repeater Format 1	Repeater Format 2	Sponsor	Dist
Plant City o WBFM 131.8/131.8	Hillsborough	145.4100	144.8100	W4CLL	Wideband FM (5 kHz)	P25	W4CLL	4
				P25(293)				
Plant City o P25(293)	Hillsborough	147.2000	147.8000	W4CLL	P25	None	PCDS	4
Riverview o WBFM l(E568607, A41723, A41732)	Hillsborough	443.6500	448.6500	K4SIP	Wideband FM (5 kHz)	P25	K4SIP	4
				146.2/146.2				
				P25(293)				

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server

Sun City Center o WBFM rs P25(293)	Hillsborough	145.4500	144.8500	W4KPR	Wideband FM (5 kHz) P25	KPARC	4
Sun City Center o WBFM rs P25(293)	Hillsborough	442.4500	447.4500	W4KPR	Wideband FM (5 kHz) P25	KPARC	4
Sun City Center o WBFM rs P25(293)	Hillsborough	927.0125	902.0125	W4KPR	Wideband FM (5 kHz) P25	KPARC	4
Tampa o WBFM rsx 131.8/131.8 P25(293)	Hillsborough	145.4100	144.8100	W4CLL	Wideband FM (5 kHz) P25	WA4SWC	4
Tampa o WBFM ers 146.2/146.2 P25(293)	Hillsborough	442.8500	447.8500	NX4Y	Wideband FM (5 kHz) P25	NX4Y	4
Tampa o WBFM ael 146.2/146.2 P25(293)	Hillsborough	443.5250	448.5250	W9CR	Wideband FM (5 kHz) P25	W9CR	4
Tampa o WBFM ael 146.2/146.2 P25(293)	Hillsborough	927.0500	907.0500	W9CR	Wideband FM (5 kHz) P25	W9CR	4

### REPEATER FEATURES LEGEND

o = Open repeater	c = Closed repeater	a = Open autopatch	(CA) = Closed autopatch	# = Uncoordinated	EC = EchoLink Node
r = RACES affiliated	s = ARES affiliated	l = Linked	RB = Remote base	e = Emergency power	IR = IRLP Node
x = Wide area coverage	z = Direct 911 access	WX = Weather	BI = Bilingual	t = CTCSS access	D = DCS Access
DATA = D-STAR data channel	G = Internet gateway	Gc = Gateway closed	Go = Gateway open	Gu = US--Trust server	Gr = IrcDDB server